

FARMHOUSE LEDGE



Bison Craft Farmhouse Ledge



Greentea Craft Farmhouse Ledge



Greypearl Craft Farmhouse Ledge



Coyote Craft Farmhouse Ledge



Goldmine Craft Farmhouse Ledge



Toasted Craft Farmhouse Ledge




Mountainlion Craft Farmhouse Ledge



1.5" - 11" high 4.5" - 26.5" long avg. thickness

SIZE RANGE:

FOOTHILL RUBBLE



Goldmine Craft Foothill Rubble



ORCHARD LIMESTONE



Alpaca Craft Orchard Limestone



Blacktruffle Craft Orchard Limestone



Greentea Craft Orchard Limestone



Bison Craft Orchard Limestone




Butternut Craft Orchard Limestone



Greypearl Craft Orchard Limestone



Mountainlion Craft Orchard Limestone



Timberwolf Craft Orchard Limestone



Tortoiseshell Craft Orchard Limestone



4" - 13.25" hi 6.5" - 23" lo

1.5"

s" avg thick

15



Whitegold Craft Orchard Limestone

PEAK LEDGE

SIZE RANGE:

1.25" - 8.125" high 3.375" - 27.875" long

..625" avg. thicknes



Bison Craft Peak Ledge



Greypearl Craft Peak Ledge



Timberwolf Craft Peak Ledge



Blacktruffle Craft Peak Ledge



Greentea Craft Peak Ledge



Mountainlion Craft Peak Ledge



Tortoiseshell Craft Peak Ledge



Alpaca Craft River Ledge




Butternut Craft River Ledge



Prairiegrass Craft River Ledge

SIZE RANG	E:
1.5" - 5"	high
4.5" - 19"	long

avg. thickness









Sycamore Craft Board Form™

SIZE RA	NGE:
6"	high
36"	long
0.75"	avg. thickness



Mountainlion Craft Split Modular



Twine Craft Split Modular

DIFFERENT STONE HEIGHTS CREATE DISTINCT LOOKS.

Craft Split Modular is designed to maximize modularity and installation ease with 2.5" and 5" pieces boxed separately. Order in any combination you desire. Shown at left and above: 50/50 blend of 2.5" and 5" sizes.



Twine Craft Split Modular



SIZE RANGE:

 2.5" or 5"
 high

 4" - 16"
 long

 1.125"
 avg. thickness

Twine Craft Split Modular

CARVED RECTANGLE CHISELED RECTANGLE



Biscuit Craft Carved Rectangle



Bluestone Craft Carved Rectangle



Jute Craft Carved Rectangle



Sandollar Craft Carved Rectangle



SIZE RANG	E:
10"	high
20"	long
1.125"	avg. thickness



Biscuit Craft Chiseled Rectangle



Jute Craft Chiseled Rectangle



Sandollar Craft Chiseled Rectangle



Bluestone Craft Chiseled Rectangle



Knapsack Craft Chiseled Rectangle

SIZE RANGE:	
10"	high
20"	long
1.125"	avg. thickness

FLAMED RECTANGLE

Bisque Craft Flamed Rectangle



Bluestone Craft Flamed Rectangle



Mist Craft Flamed Rectangle

SIZE RANG	E:
10"	high
20"	long
1.125"	avg. thickness

INNER PIECE

SIZE RANGE	
5.625"	high
13" - 22"	long
1"	avg. thickness



Enlighten Craft Inner Piece



Imagine Craft Inner Piece



Karma Craft Inner Piece



Nirvana Craft Inner Piece



cut to reveal its smooth internal surface, Inner Piece's exposed aggregates complement both the darker and lighter colorways.

URBAN LEDGE



Bone Craft Urban Ledge

SIZE RANGE:	
4"	high
13.75" - 23.875"	long
1.625"	avg. thickness



PAINTGRADE BRICK™ AND PAINTGRADE BLOCK™

SIZE RANGE:

2.375" - 3" high 7.75" - 8.375" long

avg. thickness



Brewery Craft Paintgrade Brick™

SIZE RANGE:

2.125" - 2.375" high 8.25" - 8.75" long

0.625"

avg. thickness



Loft Craft Paintgrade Brick™

SIZE	RANG	E:


3.625" high

15.625" lon


0.9375" avg. thickness



Modern Craft Paintgrade Block™




CHOP LEDGE



Seapearl Craft Chop Ledge

SIZE RANGE	
6"	high
8" - 20"	long
1.125"	avg. thickness



ARCHITECTURAL TRIM



Peak Wall Cap (Dressed)
12" width, 20" length, 2" - 3.5" thickness



Wainscot Cap / Sill (Dressed)
3.5" width, 20" length, 2.625" thickness



Hearthstone (Dressed) 20" width, 20" length, 2" thickness

Our Architectural Trim components enrich the stone and masonry veneer we make. Each piece is crafted with consummate respect for their historic tradition. The Flamed texture reproduces the surface of torched stone and Dressed, so named, because it combines a variety of textural techniques for a refined, cultivated appearance.

AVAILABLE IN ALL NINE COLORWAYS



Keystone 8" top, 5" bottom width 10" length, 2" thickness



Electrical Box (Single) 8" width, 8" length, 1.25" thickness 2.5" x 4.25" opening



Electrical Box (Double) 8" width, 9" length, 1.25" thickness 4.25" x 4.25" opening



Utility / Wall Light 8" width, 10" length, 1.25" thickness 4" opening



Doorbell / Hose Bib 5" width, 5" length, 1.25" thickness 1.5" opening



Flat Wall Cap (Flamed)
12" width, 20" length, 2" thickness



Wainscot Cap / Sill (Flamed)
3.5" width, 20" length, 2.625" thickness



Hearthstone (Flamed)
20" width, 20" length, 2" thickness



Column Cap (Flamed) 24" width, 24" length, 2" thickness

DRESSED TEXTURE

Trim Stone

2" thickness

6" width, 8" length,



FLAMED TEXTURE



DRESSED COLORWAYS



Blacktea

Buttermilk



Peanutshell



Sandpiper



Sepiatone

FLAMED COLORWAYS



Bisque







Creative Mines integral colors combine iron oxide pigments and polymers that bond to the stone to remain steadfast.

Bluestone Mist

Our Architectural Trim
Caps, Hearthstones and

Sills are crafted with two

distinct textures: Dressed and Flamed. The smallersized Keystone, Trim and

Utility Box components

have a universal texture

that complements both

the Dressed and Flamed textures. There are 5


colorways for the Dressed

texture and 4 colorways for Flamed. The Trim and Utility components are available in all of the 9

colorways.


Twine

CRAFTING THE PERFECT HOUSE BLEND



Greypearl Craft Trail Ledge

DOUBLE PROFILE / SINGLE COLORWAY



Greypearl Craft Farmhouse Ledge

2 Parts Greypearl Craft Farmhouse Ledge to 1 Part Greypearl Craft Trail Ledge

MIX AND MASH. BLEND IT. SHAPE IT.


Create your own signature recipe.

Creative Mines has the provisions to sate any discerning palette. We provide the ingredients. You provide the gusto. What you soon realize is how well we infuse Nature's brilliance in all our Timeless profile colorways so that pairings are balanced and connected. Choose a single colorway and two profiles. One profile and two colorways.

Or, two profiles and two colorways. The recipes shown are but a small sampling of the possibilities. Whip virtually any concoction you can imagine. You're the Mixologist.

MIXOLOGY MIXOLOGY

Timberwolf Craft Peak Ledge



SINGLE PROFILE / DOUBLE COLORWAY




Mountainlion Craft Peak Ledge

2 Parts Timberwolf to 1 Part Mountainlion Craft Peak Ledge

SINGLE PROFILE / DOUBLE COLORWAY



Tortoiseshell Craft Peak Ledge



2 Parts Tortoiseshell to 1 Part Timberwolf Craft Peak Ledge

Timberwolf Craft Peak Ledge


Greentea Craft Peak Ledge



Bison Craft Orchard Limestone

4 Parts Greentea Craft Peak Ledge to 1 Part Bison Craft Orchard Limestone

SINGLE PROFILE / DOUBLE COLORWAY




2 Parts Mountainlion to 1 Part Bison Craft Peak Ledge

Bison Craft Peak Ledge

Greypearl Craft Peak Ledge





Greentea Craft Peak Ledge


2 Parts Greypearl to 1 Part Greentea Craft Peak Ledge

DOUBLE PROFILE / DOUBLE COLORWAY



Equal Parts Blacktruffle Craft Peak Ledge and Greypearl Craft Trail Ledge Blacktruffle Craft Peak Ledge

INSPIRATION & CREATION



- 01 Blacktruffle Craft Peak Ledge
- 02 Whitegold Craft Orchard Limestone
- 03 Toasted Craft Foothill Rubble
- 04 Ghost Mining Operation, Yermo, California
- 05 Monsoon Craft Board Form™
- 06 Greentea Craft Trail Ledge
- 07 8:10 p.m., Ocean Beach, California
- 08 Tortoiseshell Craft Foothill Rubble
- 09 Cedar Craft Board Form™
- 10 Deserted Factory, Sandusky, Ohio
- 11 Tortoiseshell Craft Split Modular
- 12 Toasted Craft Foothill Rubble
- 13 Blacktruffle Craft Orchard Limestone
- 14 Hopscotch Craft Chop Ledge
- 15 Woodstock Quarry Natural Veneer
- 16 Quarry Saw
- 17 Mountainlion Craft Farmhouse Ledge
- 18 Bluestone Craft Chiseled Rectangle
- 19 LeFlore County Quarry Natural Squares and Recs
- 20 Goldmine Craft Foothill Rubble
- 21 Grayscale Craft Board Form™
- 22 Butternut Craft Orchard Limestone
- 23 Nirvana Craft Inner Piece
- 24 Sycamore Craft Board Form™
- 25 Mountainlion Craft Peak Ledge
- 26 Bone Craft Urban Ledge
- 27 Greentea Craft Farmhouse Ledge
- 28 Abandoned Homestead, Oneida County, Idaho
- 29 Flint Craft Chop Ledge
- 30 Whitegold Craft Orchard Limestone
- 31 Landscaping Tools

- 32 Butternut Craft River Ledge
- 33 Flax Craft Urban Ledge
- 34 Abandoned Homestead, Oneida County, Idaho
- 35 Reflection, Spruce Park Great Bear Wilderness, Montana
- 36 Silos, Malad City, Idaho
- 37 San Marino, California
- 38 Hieroglyphic Canyon, Apache Junction, Arizona
- 39 Message Board, Julian, California
- 40 LeFlore County Quarry Natural Squares and Recs
- 41 Archstone Remains, Cave Creek, Arizona
- 42 Mother Earth, San Diego, California
- 43 Cabin, Spruce Park Great Bear Wilderness, Montana
- 44 Midday, Chinatown, San Francisco
- 45 Landscape Stone Wall, Encinitas, California
- 46 Goldmine Craft Foothill Rubble
- 47 Sunrise, Joshua Tree, California
- 48 Toasted Craft Foothill Rubble
- 49 Toasted Craft Foothill Rubble
- 50 Early Afternoon, Cache Valley, Idaho
- 51 Toasted Craft Farmhouse Ledge
- 52 Midmorning, Julian, California
- 53 Goldmine Craft Foothill Rubble
- 54 Abandoned Homestead, Oneida County, Idaho
- 55 Supply building, Kalispell, Montana
- 56 Monsoon Craft Board Form™
- 57 Bone Craft Urban Ledge
- 58 Daybreak, Chino Hills, California
- 59 Monsoon Craft Board Form™
- 60 House Blend: Timberwolf, Tortoiseshell Craft Peak Ledge
- 61 3 parts Greypearl Farmhouse Ledge to 1 part Greentea Trail Ledge

INNOVATION

TEST	ASTM STANDARD	REQUIREMENT	CREATIVE MINES
COMPRESSIVE STRENGTH	ASTM C39	Product strength must be greater than 1800 psi.	Exceeds requirement. Compressive Strength in excess of 3,800 psi.
COMPRESSIVE STRENGTH MORTAR	ASTM C109	Mortar used for Bond Strength Tests.	Exceeds requirement. Compressive Strength: Mortar in excess of 1,700 psi.
TENSILE STRENGTH	ASTM C190	The results for any one sample cannot vary by more than 10% from the average of all samples.	Exceeds requirement. Tensile Strength in excess of 250 psi.
FLEXURAL STRENGTH	ASTM C348	The results for any one sample cannot vary by more than 10% from the average of all samples.	Exceeds requirement. Flexural Strength in excess of 2.6 MPa.
SHEAR BOND STRENGTH	ASTM C482	The shear strength must be a minimum of 50 pounds per square inch.	Exceeds requirement. Shear Bond Strength: Mortar in excess of 65 psi for Type N mortar and in excess of 100 psi for high bond mortars.
WATER ABSORPTION	AC51 Section 4.6	Precast stone veneer units must comply with the water absorption requirements in Table 2 of AC51.	Meets requirement identified in Table 2 of AC51 for precast water absorption. <u>Absorption is less than 17.5%.</u>
FREEZE / THAW DURABILITY	ASTM C67	Test samples must not break or disintegrate and weight loss is limited to 3 percent of original weight after 50 Freeze / Thaw cycles.	Exceeds Freeze / Thaw Durability required for minimum weight loss. Zero (0%) disintegration and no visible cracks in stone.
WEIGHT	AC51 Section 4.1	The average saturated weight must not exceed 15 pounds per square foot.	Below threshold allowable average for saturated weight. Average saturated weight per unit is 10.6 lbs / ft.².

CREATIVE MINES CRAFTED STONE VENEER IS SUBJECTED TO RIGOROUS TESTING TO ENSURE PRODUCT QUALITY. COLOR RETENTION: ONLY PERMANENT MINERAL OXIDE COLORS ARE USED TO ENSURE COLOR LONGEVITY.

INGREDIENTS:

Portland Cement ASTM C150 Mineral Oxide Colors ASTM C979 ASTM C33 / C330 Light Weight Aggregate





DEALERS AND DISTRIBUTORS

Visit www.creativemines.us for a current list of Dealers and Distributors.

INSTALLATION INSTRUCTIONS

Visit www.creativemines.us for product installation instructions.

DISCLAIMER

Creative Mines Crafted Masonry Veneer is hand-designed and handcrafted. It looks like the real thing, so natural variations in color will occur. You should demand that of your crafted masonry veneer. Anything less would be unnatural.

The product measurements listed are averages and individual product may vary in dimension and weight while maintaining accordance with ASTM specifications. For submittal information and test data please consult your Creative Mines Representative.

Creative Mines maintains the right to revise packaging and products inventoried.

© 2015 Creative Mines, Inc.

041516 50K DESIGN BY: STUDIOCONOVER.COM